

# Floor Runner Layout: 14' wide shed

Here are the measurements for the floor runner layout. Your choice:

- Option 1: use a level bed of gravel
- Option 2: place cement blocks over a level surface as shown.







NOTE: Measurements are taken from the OUTSIDE of the building to the CENTER of each 4"x 4" pressure-treated floor runner (skid). Runners extend the length of the building.

### **OPTION 1:**

# Recommended yards of gravel

| (3/4" minus preferred) |                                 |
|------------------------|---------------------------------|
| Length of building     | Yds³ of gravel<br>(at 4" thick) |
| 20'                    | 3.5                             |
| 24'                    | 4                               |
| 26'                    | 4.5                             |
| 28'                    | 4.75                            |
| 30'                    | 5.25                            |

### **OPTION 2:**

| Recommended Number of Blocks (per runner) |           |
|---|-----------|
| Length of                                 | Number of |
| runner                                    | Blocks    |
| 20'                                       | 6-7       |
| 24'                                       | 7-8       |
| 26'                                       | 7-8       |
| 28'                                       | 8-9       |
| 30'                                       | 8-9       |

## **NOTES:**

- Runners go the length of the building.
- Recommended size for cement blocks: 2"x8"x16"
- Recommended spacing for the cement blocks: 3-4' apart along each runner.
- •14' wide buildings include an additional center runner